PRESCRIPTION REQUEST FORM FOR DISPOSABLE INCONTINENCE PRODUCTS

Re	ecipient Information					
Na	me:	Date of birth:	Age:			
Medicaid ID:		Height:	Weight			
Re	cipient's Address					
Pr	escribing Provider:					
Pre	escriber's Name:	Phon	e #:			
Ad	dress:	Fax #				
>	Medical Diagnoses causing the urine and/o Primary:	r fecal incontinence (\$ Secondary:	Specify ICD CM code):			
>	Specify Urine/Fecal incontinence diagnose: Primary:	s (Specify ICD CM cod Secondary:	e):			
	Mobility ☐ Ambulatory ☐ Transfer Assistance ☐ Confined to bed or	· ·				
>	> Extraordinary Needs - if you are requesting more than 8 per day ONLY Complete and provide additional supporting documentation for acute medical condition and/or extenuating circumstances for the increased need for incontinence products					
>	Mental Status/Level of Orientation ☐ Has the ability to communicate needs ☐ Sometimes communicates needs ☐ Unable to communicate needs	Frequency of anticipated change During Day time (6 AM-10PM) During Night time (10PM – 6 AM)				
>	Additional supporting Diagnoses (Specific ICD-CM Code)	Indicate current supportive services ☐ Home Health ☐ Skilled Nursing Services				
>	List any medications and/or nutritional therapy	☐ Personal Care Services ☐ Other ritional therapy that would increase urine or fecal output:				
	Specify incontinence supply, size, quantity/2	Qty d:	of need: per Size ay (S, M, L, XL)			
	Diapers (Check one): [] child size []□ youth-s Pull-ups (Check one): [] child size []□ youth-s Liner/shield (Check one): [] child size []□ youth-s	sized [] adult-sized				
By my signature I attest that I have seen the patient and the item prescribed is medically necessary. I have personally completed this request and a copy will be maintained in the patient's medical record.		> Comments				
Pre	scriber's Signature:					
Date:						
	\.	☐ Additional documenta	ation attached			

Diaper Program Information for Families

The Medicaid Diaper Program provides diapers and/or pull-ups for individuals between the ages of 4-20 years old.

When your child's physician completes the form, it is important that 3 main points are listed. These points include:

- 1. Under diagnosis, a code for urinary (788.30) and fecal (787.60) incontinence must be documented:
- 2. Under comments, it should state that the use is for a "lifetime need"; and
- 3. Under "Specify Incontinence Supply" it should list whether or not diapers or pull ups are needed, along with the recommended amount that will be used in a 24 hour period (Medicaid will pay for 6 diapers per 24 hour period unless the doctor writes down that more are needed and the reasons for those additional diapers).

In addition, if your child utilizes Pediasure or other dietary supplements, Medicaid may cover this as well. Simply obtain a prescription from your child's doctor that states his or her diagnosis, height, weight, number of cans used per day, and the number of refills authorized.

Once the form for the diapers is completed and/or the prescription for Pediasure is obtained from the doctor, please submit it to one of the following of your choice:

Hospital Drug Store 2716 Piedmont Street Kenner, LA 70062 (504) 524-2254 Phone (504) 528-9310 Fax

National Total Care Services, LLC
115 Marcon Drive
Lafayette, LA 70507
Linda Mouton – Local Representative
(337) 291-9919 Phone
(337) 291-9920 Fax
(877) 236-6687 Toll-Free
linda.totalcare@att.net
http://nationaltotalcare.com/

McKesson Patient Care Solutions (Diapers only) 540 Lindberg Dr.
Moontownship, PA 15108
Lauren Melzer – Local Representative (504) 669-3092 Phone (404) 609-2706 Fax http://www.mckesson.com/

PRESCRIPTION REQUEST FORM FOR DISPOSABLE INCONTINENCE PRODUCTS

	lame:		
	ledicaid ID:		Weight
	ecipient's Address		
P	rescribing Provider:		
P	rescriber's Name:	Phone #:	
A	ddress:	Fax #	
> Medical Diagnoses causing the urine and/or fecal incontinence (Specify ICD CM code Primary: Secondary: ASKURUS MID ASS CODE			
) <u>a</u>		noses (Specify ICD CM code Secondary: 78.7.	
➤ Mobility ☐ Ambulatory ☐ Transfer Assistance ☐ Confined to bed or chair			
Extraordinary Needs - if you are requesting more than 8 per day ONLY Complete and provide additional supporting documentation for acute medical condit and/or extenuating circumstances for the increased need for incontinence products			
			pintinonoc product.
>	Mental Status/Level of Orientation ☐ Has the ability to communicate needs ☐ Sometimes communicates needs ☐ Unable to communicate needs	Frequency of anticipate During Day time (6 AM-10F During Night time (10PM -	od change PM)
	Mental Status/Level of Orientation ☐ Has the ability to communicate needs ☐ Sometimes communicates needs	Frequency of anticipate During Day time (6 AM-10F During Night time (10PM - Indicate current support Home Health Skilled Nursing Services	od change PM) 6 AM)
	Mental Status/Level of Orientation Has the ability to communicate needs Sometimes communicates needs Unable to communicate needs Additional supporting Diagnoses (Specific ICD-CM Code)	Frequency of anticipate During Day time (6 AM-10F During Night time (10PM Indicate current support Home Health Skilled Nursing Services Personal Care Services Other	od change PM) 6 AM)
>	Mental Status/Level of Orientation Has the ability to communicate needs Sometimes communicates needs Unable to communicate needs Additional supporting Diagnoses (Specific ICD-CM Code)	Frequency of anticipate During Day time (6 AM-10F) During Night time (10PM	od change PM) 6 AM) tive services or fecal output: of need: per Size
>	Mental Status/Level of Orientation Has the ability to communicate needs Sometimes communicates needs Unable to communicate needs Additional supporting Diagnoses (Specific ICD-CM Code) List any medications and/or nutritional the Specify incontinence supply, size, quantity Diapers (Check one): [] child size [][]; Pull-ups (Check one): [] child size [][];	Frequency of anticipate During Day time (6 AM-10F) During Night time (10PM Indicate current support Home Health Skilled Nursing Services Personal Care Services Other Drapy that would Increase urine	od change PM) 6 AM) tive services or fecal output: of need: per Size
> D D D D D D D D D D D D D D D D D D D	Mental Status/Level of Orientation Has the ability to communicate needs Sometimes communicates needs Unable to communicate needs Additional supporting Diagnoses (Specific ICD-CM Code) List any medications and/or nutritional the Specify incontinence supply, size, quantity Diapers (Check one): [] child size [][]; Pull-ups (Check one): [] child size [][];	Frequency of anticipate During Day time (6 AM-10F) During Night time (10PM — Indicate current support Home Health Skilled Nursing Services Personal Care Services Other Orapy that would Increase urine Intity/24 hours and duration of Caty youth-sized [] adult-sized youth-sized [] adult-sized youth-sized [] adult-sized	od change PM) 6 AM) tive services or fecal output: of need: per Size
> Description of the second of	Mental Status/Level of Orientation Has the ability to communicate needs Sometimes communicates needs Unable to communicate needs Additional supporting Diagnoses (Specific ICD-CM Code) List any medications and/or nutritional the Specify incontinence supply, size, quantity Diapers (Check one): [] child size [] [] y Pull-ups (Check one): [] child size [] [] y my signature attest that have seen the patient and the item preson ically necessary. I have personally completed this request and a copy	Frequency of anticipate During Day time (6 AM-10F) During Night time (10PM- Indicate current support Home Health Skilled Nursing Services Personal Care Services Other Other Orapy that would Increase urine Intity/24 hours and duration of the count of	od change PM) 6 AM) tive services or fecal output: of need: per Size y (S, M, L, X

Can Jet Up to 8 pen day